

HIV Infection Cases Reported during 2002  
(from the 02/27/03 HARS data set)

**Planning Area = East Texas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	5	7
		% within Sex	.2%	1.0%	.5%
	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.1%
	2-4	Count	2		2
		% within Sex	.2%		.1%
	5-12	Count		1	1
		% within Sex		.2%	.1%
	13-19	Count	32	56	88
		% within Sex	3.1%	11.1%	5.8%
	20-24	Count	132	98	230
		% within Sex	12.9%	19.4%	15.1%
	25-29	Count	180	108	288
		% within Sex	17.6%	21.4%	18.9%
	30-39	Count	413	137	550
		% within Sex	40.5%	27.1%	36.0%
	40-49	Count	194	79	273
		% within Sex	19.0%	15.6%	17.9%
	50-59	Count	55	17	72
		% within Sex	5.4%	3.4%	4.7%
	60-69	Count	8	3	11
		% within Sex	.8%	.6%	.7%
	70+	Count	3		3
		% within Sex	.3%		.2%
Total		Count	1021	505	1526
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2002  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	348	89	437
		% within Sex	34.1%	17.6%	28.6%
	African American	Count	466	360	826
		% within Sex	45.6%	71.3%	54.1%
	Hispanic	Count	197	52	249
		% within Sex	19.3%	10.3%	16.3%
	Asian-Pacific Islander	Count	6	4	10
		% within Sex	.6%	.8%	.7%
	Am Indian-Alaskan	Count	2		2
		% within Sex	.2%		.1%
	Not Specified	Count	2		2
		% within Sex	.2%		.1%
	Total		1021	505	1526
			100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	564		564
		% within Sex	55.2%		37.0%
	IDU	Count	71	71	142
		% within Sex	7.0%	14.1%	9.3%
	M-M & IDU	Count	40		40
		% within Sex	3.9%		2.6%
	Heterosexual Contact	Count	104	264	368
		% within Sex	10.2%	52.3%	24.1%
	Transfusion	Count		1	1
		% within Sex		.2%	.1%
	Not Classified	Count	238	162	400
		% within Sex	23.3%	32.1%	26.2%
	Ped Parent at Risk	Count	4	6	10
		% within Sex	.4%	1.2%	.7%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.1%
Total	Count	1021	505	1526	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

HIV Infection Cases Reported during 2002  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		437	437
		% within Adult-Ped		28.8%	28.6%
	African American	Count	10	816	826
		% within Adult-Ped	90.9%	53.9%	54.1%
	Hispanic	Count	1	248	249
		% within Adult-Ped	9.1%	16.4%	16.3%
	Asian-Pacific Islander	Count		10	10
		% within Adult-Ped		.7%	.7%
	Am Indian-Alaskan	Count		2	2
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		2	2
		% within Adult-Ped		.1%	.1%
Total		Count	11	1515	1526
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	4	1017	1021
		% within Adult-Ped	36.4%	67.1%	66.9%
	Female	Count	7	498	505
		% within Adult-Ped	63.6%	32.9%	33.1%
Total		Count	11	1515	1526
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2001  
(from the 02/27/03 HARS data set)

**Planning Area = East Texas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	3	1	4
		% within Sex	.3%	.2%	.3%
	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.1%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count		2	2
		% within Sex		.4%	.1%
	13-19	Count	30	80	110
		% within Sex	3.4%	15.7%	7.9%
	20-24	Count	118	99	217
		% within Sex	13.3%	19.5%	15.6%
	25-29	Count	146	86	232
		% within Sex	16.5%	16.9%	16.6%
	30-39	Count	367	147	514
		% within Sex	41.4%	28.9%	36.8%
	40-49	Count	161	70	231
		% within Sex	18.2%	13.8%	16.6%
	50-59	Count	45	18	63
		% within Sex	5.1%	3.5%	4.5%
	60-69	Count	12	1	13
		% within Sex	1.4%	.2%	.9%
	70+	Count	4	3	7
		% within Sex	.5%	.6%	.5%
Total		Count	887	508	1395
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2001  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	313	88	401
		% within Sex	35.3%	17.3%	28.7%
	African American	Count	435	375	810
		% within Sex	49.0%	73.8%	58.1%
	Hispanic	Count	134	41	175
		% within Sex	15.1%	8.1%	12.5%
	Asian-Pacific Islander	Count	2	2	4
		% within Sex	.2%	.4%	.3%
	Not Specified	Count	3	2	5
		% within Sex	.3%	.4%	.4%
Total	Count	887	508	1395	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	420		420
		% within Sex	47.4%		30.1%
	IDU	Count	86	91	177
		% within Sex	9.7%	17.9%	12.7%
	M-M & IDU	Count	65		65
		% within Sex	7.3%		4.7%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	88	270	358
		% within Sex	9.9%	53.1%	25.7%
	Transfusion	Count	2	4	6
		% within Sex	.2%	.8%	.4%
	Not Classified	Count	221	139	360
		% within Sex	24.9%	27.4%	25.8%
	Ped Parent at Risk	Count	4	3	7
		% within Sex	.5%	.6%	.5%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.1%
Total	Count	887	508	1395	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

HIV Infection Cases Reported during 2001  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	1	400	401
		% within Adult-Ped	12.5%	28.8%	28.7%
	African American	Count	5	805	810
		% within Adult-Ped	62.5%	58.0%	58.1%
	Hispanic	Count	2	173	175
		% within Adult-Ped	25.0%	12.5%	12.5%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		5	5
		% within Adult-Ped		.4%	.4%
Total	Count	8	1387	1395	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	4	883	887
		% within Adult-Ped	50.0%	63.7%	63.6%
	Female	Count	4	504	508
		% within Adult-Ped	50.0%	36.3%	36.4%
Total		Count	8	1387	1395
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported HIV Infection Cases through 12/31/02  
(from the 02/27/03 HARS data set)

## Planning Area = East Texas

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	55	54	109
		% within Sex	1.6%	2.7%	2.0%
	1 (12-23 mo)	Count	12	15	27
		% within Sex	.3%	.8%	.5%
	2-4	Count	17	10	27
		% within Sex	.5%	.5%	.5%
	5-12	Count	16	11	27
		% within Sex	.5%	.6%	.5%
	13-19	Count	92	273	365
		% within Sex	2.7%	13.8%	6.7%
	20-24	Count	432	401	833
		% within Sex	12.5%	20.3%	15.3%
	25-29	Count	597	349	946
		% within Sex	17.3%	17.6%	17.4%
	30-39	Count	1390	520	1910
		% within Sex	40.2%	26.3%	35.2%
	40-49	Count	625	254	879
		% within Sex	18.1%	12.8%	16.2%
	50-59	Count	172	74	246
		% within Sex	5.0%	3.7%	4.5%
	60-69	Count	32	13	45
		% within Sex	.9%	.7%	.8%
	70+	Count	10	4	14
		% within Sex	.3%	.2%	.3%
	Unknown	Count	4		4
		% within Sex	.1%		.1%
Total		Count	3454	1978	5432
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported HIV Infection Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1249	339	1588
		% within Sex	36.2%	17.1%	29.2%
	African American	Count	1634	1431	3065
		% within Sex	47.3%	72.3%	56.4%
	Hispanic	Count	538	191	729
		% within Sex	15.6%	9.7%	13.4%
	Asian-Pacific Islander	Count	14	7	21
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	5	1	6
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	14	9	23
		% within Sex	.4%	.5%	.4%
	Total		3454	1978	5432
			100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1743		1743
		% within Sex	50.5%		32.1%
	IDU	Count	322	333	655
		% within Sex	9.3%	16.8%	12.1%
	M-M & IDU	Count	250		250
		% within Sex	7.2%		4.6%
	Hemophiliac	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	356	1031	1387
		% within Sex	10.3%	52.1%	25.5%
	Transfusion	Count	3	6	9
		% within Sex	.1%	.3%	.2%
	Not Classified	Count	678	517	1195
		% within Sex	19.6%	26.1%	22.0%
	Ped Hemophiliac	Count	4	1	5
		% within Sex	.1%	.1%	.1%
	Ped Parent at Risk	Count	85	83	168
		% within Sex	2.5%	4.2%	3.1%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Other-Undet	Count	10	6	16
		% within Sex	.3%	.3%	.3%
	Total		3454	1978	5432
			100.0%	100.0%	100.0%

a. Planning Area = East Texas



Cumulative Reported HIV Infection Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	32	1553	3	1588
		% within Adult-Ped	16.8%	29.6%	75.0%	29.2%
	African American	Count	129	2936		3065
		% within Adult-Ped	67.9%	56.1%		56.4%
	Hispanic	Count	23	705	1	729
		% within Adult-Ped	12.1%	13.5%	25.0%	13.4%
	Asian-Pacific Islander	Count		21		21
		% within Adult-Ped		.4%		.4%
	Am Indian-Alaskan	Count		6		6
		% within Adult-Ped		.1%		.1%
	Not Specified	Count	6	17		23
		% within Adult-Ped	3.2%	.3%		.4%
Total		Count	190	5238	4	5432
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	100	3350	4	3454
		% within Adult-Ped	52.6%	64.0%	100.0%	63.6%
	Female	Count	90	1888		1978
		% within Adult-Ped	47.4%	36.0%		36.4%
Total		Count	190	5238	4	5432
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported HIV Infection Cases through 12/31/02  
(from the 02/27/03 HARS data set)

## Planning Area = East Texas

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	49	54	103
		% within Sex	1.4%	2.8%	1.9%
	1 (12-23 mo)	Count	12	15	27
		% within Sex	.4%	.8%	.5%
	2-4	Count	17	10	27
		% within Sex	.5%	.5%	.5%
	5-12	Count	14	10	24
		% within Sex	.4%	.5%	.4%
	13-19	Count	92	272	364
		% within Sex	2.7%	13.9%	6.8%
	20-24	Count	431	400	831
		% within Sex	12.7%	20.4%	15.5%
	25-29	Count	593	348	941
		% within Sex	17.4%	17.7%	17.6%
	30-39	Count	1376	518	1894
		% within Sex	40.5%	26.4%	35.3%
	40-49	Count	611	247	858
		% within Sex	18.0%	12.6%	16.0%
	50-59	Count	163	71	234
		% within Sex	4.8%	3.6%	4.4%
	60-69	Count	29	12	41
		% within Sex	.9%	.6%	.8%
	70+	Count	8	4	12
		% within Sex	.2%	.2%	.2%
	Unknown	Count	4		4
		% within Sex	.1%		.1%
Total		Count	3399	1961	5360
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported HIV Infection Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count		2	2
		% within Sex		.1%	.0%
	1 (12-23 mo)	Count	4	4	8
		% within Sex	.1%	.2%	.1%
	2-4	Count	15	11	26
		% within Sex	.4%	.6%	.5%
	5-12	Count	53	58	111
		% within Sex	1.6%	3.0%	2.1%
	13-19	Count	32	66	98
		% within Sex	.9%	3.4%	1.8%
	20-24	Count	202	288	490
		% within Sex	5.9%	14.7%	9.1%
	25-29	Count	362	344	706
		% within Sex	10.7%	17.5%	13.2%
	30-39	Count	1298	663	1961
		% within Sex	38.2%	33.8%	36.6%
	40-49	Count	1028	373	1401
		% within Sex	30.2%	19.0%	26.1%
	50-59	Count	334	120	454
		% within Sex	9.8%	6.1%	8.5%
	60-69	Count	54	26	80
		% within Sex	1.6%	1.3%	1.5%
	70+	Count	17	6	23
		% within Sex	.5%	.3%	.4%
	Total	Count	3399	1961	5360
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported HIV Infection Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1226	335	1561
		% within Sex	36.1%	17.1%	29.1%
	African American	Count	1606	1418	3024
		% within Sex	47.2%	72.3%	56.4%
	Hispanic	Count	535	191	726
		% within Sex	15.7%	9.7%	13.5%
	Asian-Pacific Islander	Count	13	7	20
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	5	1	6
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	14	9	23
		% within Sex	.4%	.5%	.4%
	Total		3399	1961	5360
			100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1729		1729
		% within Sex	50.9%		32.3%
	IDU	Count	311	330	641
		% within Sex	9.1%	16.8%	12.0%
	M-M & IDU	Count	243		243
		% within Sex	7.1%		4.5%
	Hemophiliac	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	350	1026	1376
		% within Sex	10.3%	52.3%	25.7%
	Transfusion	Count	3	6	9
		% within Sex	.1%	.3%	.2%
	Not Classified	Count	669	509	1178
		% within Sex	19.7%	26.0%	22.0%
	Ped Hemophiliac	Count	3	1	4
		% within Sex	.1%	.1%	.1%
	Ped Parent at Risk	Count	79	82	161
		% within Sex	2.3%	4.2%	3.0%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Other-Undet	Count	9	6	15
		% within Sex	.3%	.3%	.3%
	Total		3399	1961	5360
			100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported HIV Infection Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	29	1529	3	1561
		% within Adult-Ped	16.0%	29.5%	75.0%	29.1%
	African American	Count	123	2901		3024
		% within Adult-Ped	68.0%	56.1%		56.4%
	Hispanic	Count	23	702	1	726
		% within Adult-Ped	12.7%	13.6%	25.0%	13.5%
	Asian-Pacific Islander	Count		20		20
		% within Adult-Ped		.4%		.4%
	Am Indian-Alaskan	Count		6		6
		% within Adult-Ped		.1%		.1%
	Not Specified	Count	6	17		23
		% within Adult-Ped	3.3%	.3%		.4%
Total		Count	181	5175	4	5360
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	92	3303	4	3399
		% within Adult-Ped	50.8%	63.8%	100.0%	63.4%
	Female	Count	89	1872		1961
		% within Adult-Ped	49.2%	36.2%		36.6%
Total		Count	181	5175	4	5360
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2002  
(from the 02/27/03 HARS data set)

## Planning Area = East Texas

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	.1%		.1%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	13-19	Count	5	6	11
		% within Sex	.6%	2.0%	1.0%
	20-24	Count	34	31	65
		% within Sex	4.1%	10.2%	5.7%
	25-29	Count	88	59	147
		% within Sex	10.5%	19.5%	12.9%
	30-39	Count	332	88	420
		% within Sex	39.8%	29.0%	36.9%
	40-49	Count	253	89	342
		% within Sex	30.3%	29.4%	30.1%
	50-59	Count	92	25	117
		% within Sex	11.0%	8.3%	10.3%
	60-69	Count	25	5	30
		% within Sex	3.0%	1.7%	2.6%
	70+	Count	4		4
		% within Sex	.5%		.4%
Total	Count	835	303	1138	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	278	34	312
		% within Sex	33.3%	11.2%	27.4%
	African American	Count	369	232	601
		% within Sex	44.2%	76.6%	52.8%
	Hispanic	Count	182	37	219
		% within Sex	21.8%	12.2%	19.2%
	Asian-Pacific Islander	Count	5		5
		% within Sex	.6%		.4%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
Total		Count	835	303	1138
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2002  
(from the 02/27/03 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	438		438
		% within Sex	52.5%		38.5%
	IDU	Count	80	59	139
		% within Sex	9.6%	19.5%	12.2%
	M-M & IDU	Count	55		55
		% within Sex	6.6%		4.8%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	87	157	244
		% within Sex	10.4%	51.8%	21.4%
	Transfusion	Count	2		2
		% within Sex	.2%		.2%
	Not Classified	Count	170	87	257
		% within Sex	20.4%	28.7%	22.6%
	Ped Parent at Risk	Count	1		1
		% within Sex	.1%		.1%
	Ped Other-Undet	Count	1		1
		% within Sex	.1%		.1%
Total		Count	835	303	1138
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		312	312
		% within Adult-Ped		27.5%	27.4%
	African American	Count	1	600	601
		% within Adult-Ped	50.0%	52.8%	52.8%
	Hispanic	Count		219	219
		% within Adult-Ped		19.3%	19.2%
	Asian-Pacific Islander	Count	1	4	5
		% within Adult-Ped	50.0%	.4%	.4%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
Total		Count	2	1136	1138
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2002  
(from the 02/27/03 HARS data set)

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	833	835
		% within Adult-Ped	100.0%	73.3%	73.4%
	Female	Count		303	303
		% within Adult-Ped		26.7%	26.6%
Total		Count	2	1136	1138
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas



AIDS Cases Reported during 2001  
(from the 02/27/03 HARS data set)

## Planning Area = East Texas

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Age at Diagnosis	2-4	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count	1		1
		% within Sex	.1%		.1%
	13-19	Count	3	4	7
		% within Sex	.4%	1.4%	.7%
	20-24	Count	29	31	60
		% within Sex	4.3%	10.6%	6.2%
	25-29	Count	65	56	121
		% within Sex	9.5%	19.2%	12.4%
	30-39	Count	268	106	374
		% within Sex	39.3%	36.3%	38.4%
	40-49	Count	221	67	288
		% within Sex	32.4%	22.9%	29.6%
	50-59	Count	67	19	86
		% within Sex	9.8%	6.5%	8.8%
	60-69	Count	16	8	24
		% within Sex	2.3%	2.7%	2.5%
	70+	Count	11	1	12
		% within Sex	1.6%	.3%	1.2%
Total		Count	682	292	974
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		Total	
			Male	Female		
Race-Ethnicity	White Non-Hispanic	Count	219	37	256	
		% within Sex	32.1%	12.7%	26.3%	
	African American	Count	330	216	546	
		% within Sex	48.4%	74.0%	56.1%	
	Hispanic	Count	127	38	165	
		% within Sex	18.6%	13.0%	16.9%	
	Asian-Pacific Islander	Count	6	1	7	
		% within Sex	.9%	.3%	.7%	
	Total		Count	682	292	974
			% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2001  
(from the 02/27/03 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	299		299
		% within Sex	43.8%		30.7%
	IDU	Count	77	47	124
		% within Sex	11.3%	16.1%	12.7%
	M-M & IDU	Count	41		41
		% within Sex	6.0%		4.2%
	Hemophiliac	Count	2		2
		% within Sex	.3%		.2%
	Heterosexual Contact	Count	92	164	256
		% within Sex	13.5%	56.2%	26.3%
	Transfusion	Count	3	2	5
		% within Sex	.4%	.7%	.5%
	Not Classified	Count	166	78	244
		% within Sex	24.3%	26.7%	25.1%
	Ped Parent at Risk	Count	2		2
		% within Sex	.3%		.2%
	Ped Other-Undet	Count		1	1
		% within Sex		.3%	.1%
Total		Count	682	292	974
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		256	256
		% within Adult-Ped		26.3%	26.3%
	African American	Count	1	545	546
		% within Adult-Ped	50.0%	56.1%	56.1%
	Hispanic	Count	1	164	165
		% within Adult-Ped	50.0%	16.9%	16.9%
	Asian-Pacific Islander	Count		7	7
		% within Adult-Ped		.7%	.7%
Total		Count	2	972	974
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2001  
(from the 02/27/03 HARS data set)

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	2	680	682
		% within Adult-Ped	100.0%	70.0%	70.0%
	Female	Count		292	292
		% within Adult-Ped		30.0%	30.0%
Total		Count	2	972	974
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

## Planning Area = East Texas

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	38	35	73
		% within Sex	.2%	1.0%	.3%
	1 (12-23 mo)	Count	21	13	34
		% within Sex	.1%	.4%	.1%
	2-4	Count	23	32	55
		% within Sex	.1%	.9%	.2%
	5-12	Count	21	18	39
		% within Sex	.1%	.5%	.2%
	13-19	Count	101	113	214
		% within Sex	.5%	3.2%	.9%
	20-24	Count	907	378	1285
		% within Sex	4.3%	10.7%	5.2%
	25-29	Count	3172	669	3841
		% within Sex	15.1%	18.9%	15.7%
	30-39	Count	9703	1287	10990
		% within Sex	46.2%	36.4%	44.8%
	40-49	Count	5019	671	5690
		% within Sex	23.9%	19.0%	23.2%
	50-59	Count	1482	221	1703
		% within Sex	7.1%	6.3%	6.9%
	60-69	Count	421	72	493
		% within Sex	2.0%	2.0%	2.0%
	70+	Count	95	23	118
		% within Sex	.5%	.7%	.5%
Total		Count	21003	3532	24535
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	11592	803	12395
		% within Sex	55.2%	22.7%	50.5%
	African American	Count	6296	2288	8584
		% within Sex	30.0%	64.8%	35.0%
	Hispanic	Count	3021	434	3455
		% within Sex	14.4%	12.3%	14.1%
	Asian-Pacific Islander	Count	73	6	79
		% within Sex	.3%	.2%	.3%
	Am Indian-Alaskan	Count	19	1	20
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	2		2
		% within Sex	.0%		.0%
	Total	Count	21003	3532	24535
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	13844		13844
		% within Sex	65.9%		56.4%
	IDU	Count	2016	1125	3141
		% within Sex	9.6%	31.9%	12.8%
	M-M & IDU	Count	2201		2201
		% within Sex	10.5%		9.0%
	Hemophiliac	Count	73	2	75
		% within Sex	.3%	.1%	.3%
	Heterosexual Contact	Count	1225	1715	2940
		% within Sex	5.8%	48.6%	12.0%
	Transfusion	Count	136	66	202
		% within Sex	.6%	1.9%	.8%
	Not Classified	Count	1389	512	1901
		% within Sex	6.6%	14.5%	7.7%
	Ped Hemophiliac	Count	19		19
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	87	95	182
		% within Sex	.4%	2.7%	.7%
	Ped Transfusion	Count	11	13	24
		% within Sex	.1%	.4%	.1%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	2	3	5
		% within Sex	.0%	.1%	.0%
Total		Count	21003	3532	24535
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	40	12355	12395
		% within Adult-Ped	19.9%	50.8%	50.5%
	African American	Count	120	8464	8584
		% within Adult-Ped	59.7%	34.8%	35.0%
	Hispanic	Count	40	3415	3455
		% within Adult-Ped	19.9%	14.0%	14.1%
	Asian-Pacific Islander	Count	1	78	79
		% within Adult-Ped	.5%	.3%	.3%
	Am Indian-Alaskan	Count		20	20
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		2	2
		% within Adult-Ped		.0%	.0%
Total	Count	201	24334	24535	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	103	20900	21003
		% within Adult-Ped	51.2%	85.9%	85.6%
	Female	Count	98	3434	3532
		% within Adult-Ped	48.8%	14.1%	14.4%
Total		Count	201	24334	24535
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Planning Area = East Texas**

**Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	11	14	25
		% within Sex	.1%	.7%	.3%
	1 (12-23 mo)	Count	9	8	17
		% within Sex	.1%	.4%	.2%
	2-4	Count	11	14	25
		% within Sex	.1%	.7%	.3%
	5-12	Count	8	8	16
		% within Sex	.1%	.4%	.2%
	13-19	Count	53	77	130
		% within Sex	.7%	3.8%	1.3%
	20-24	Count	360	222	582
		% within Sex	4.6%	11.0%	5.9%
	25-29	Count	1072	398	1470
		% within Sex	13.7%	19.7%	14.9%
	30-39	Count	3625	733	4358
		% within Sex	46.2%	36.2%	44.2%
	40-49	Count	1998	409	2407
		% within Sex	25.5%	20.2%	24.4%
	50-59	Count	564	118	682
		% within Sex	7.2%	5.8%	6.9%
	60-69	Count	111	20	131
		% within Sex	1.4%	1.0%	1.3%
	70+	Count	23	4	27
		% within Sex	.3%	.2%	.3%
Total		Count	7845	2025	9870
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas



Living Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	2-4	Count		1	1
		% within Sex		.0%	.0%
	5-12	Count	27	30	57
		% within Sex	.3%	1.5%	.6%
	13-19	Count	11	25	36
		% within Sex	.1%	1.2%	.4%
	20-24	Count	68	75	143
		% within Sex	.9%	3.7%	1.4%
	25-29	Count	269	220	489
		% within Sex	3.4%	10.9%	5.0%
	30-39	Count	2390	769	3159
		% within Sex	30.5%	38.0%	32.0%
	40-49	Count	3348	611	3959
		% within Sex	42.7%	30.2%	40.1%
	50-59	Count	1339	218	1557
		% within Sex	17.1%	10.8%	15.8%
	60-69	Count	320	62	382
		% within Sex	4.1%	3.1%	3.9%
	70+	Count	73	14	87
		% within Sex	.9%	.7%	.9%
Total		Count	7845	2025	9870
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3544	398	3942
		% within Sex	45.2%	19.7%	39.9%
	African American	Count	2816	1342	4158
		% within Sex	35.9%	66.3%	42.1%
	Hispanic	Count	1433	281	1714
		% within Sex	18.3%	13.9%	17.4%
	Asian-Pacific Islander	Count	43	3	46
		% within Sex	.5%	.1%	.5%
	Am Indian-Alaskan	Count	7	1	8
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	2		2
		% within Sex	.0%		.0%
	Total		Count	7845	2025
			% within Sex	100.0%	100.0%

a. Planning Area = East Texas

Living Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	4697		4697
		% within Sex	59.9%		47.6%
	IDU	Count	842	576	1418
		% within Sex	10.7%	28.4%	14.4%
	M-M & IDU	Count	806		806
		% within Sex	10.3%		8.2%
	Hemophiliac	Count	20	2	22
		% within Sex	.3%	.1%	.2%
	Heterosexual Contact	Count	713	1056	1769
		% within Sex	9.1%	52.1%	17.9%
	Transfusion	Count	18	14	32
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	700	324	1024
		% within Sex	8.9%	16.0%	10.4%
	Ped Hemophiliac	Count	10		10
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	35	50	85
		% within Sex	.4%	2.5%	.9%
	Ped Transfusion	Count	4	1	5
		% within Sex	.1%	.0%	.1%
	Ped Other-Undet	Count		2	2
		% within Sex		.1%	.0%
Total	Count	7845	2025	9870	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

Living Reported AIDS Cases through 12/31/02  
(from the 02/27/03 HARS data set)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count	13	3929	3942
		% within Adult-Ped	15.7%	40.1%	39.9%
	African American	Count	48	4110	4158
		% within Adult-Ped	57.8%	42.0%	42.1%
	Hispanic	Count	22	1692	1714
		% within Adult-Ped	26.5%	17.3%	17.4%
	Asian-Pacific Islander	Count		46	46
		% within Adult-Ped		.5%	.5%
	Am Indian-Alaskan	Count		8	8
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		2	2
		% within Adult-Ped		.0%	.0%
Total		Count	83	9787	9870
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	39	7806	7845
		% within Adult-Ped	47.0%	79.8%	79.5%
	Female	Count	44	1981	2025
		% within Adult-Ped	53.0%	20.2%	20.5%
Total		Count	83	9787	9870
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02  
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

## Planning Area = East Texas

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	60	68	128
		% within Sex	.5%	1.7%	.8%
	1 (12-23 mo)	Count	21	23	44
		% within Sex	.2%	.6%	.3%
	2-4	Count	28	24	52
		% within Sex	.2%	.6%	.3%
	5-12	Count	22	18	40
		% within Sex	.2%	.5%	.3%
	13-19	Count	145	349	494
		% within Sex	1.3%	8.8%	3.2%
	20-24	Count	791	622	1413
		% within Sex	7.0%	15.6%	9.3%
	25-29	Count	1665	746	2411
		% within Sex	14.8%	18.7%	15.8%
	30-39	Count	5001	1251	6252
		% within Sex	44.5%	31.4%	41.1%
	40-49	Count	2609	656	3265
		% within Sex	23.2%	16.5%	21.4%
	50-59	Count	727	189	916
		% within Sex	6.5%	4.7%	6.0%
	60-69	Count	140	32	172
		% within Sex	1.2%	.8%	1.1%
	70+	Count	31	8	39
		% within Sex	.3%	.2%	.3%
	Unknown	Count	4		4
		% within Sex	.0%		.0%
Total		Count	11244	3986	15230
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02  
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

**Current Age \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count		2	2
		% within Sex		.1%	.0%
	1 (12-23 mo)	Count	4	4	8
		% within Sex	.0%	.1%	.1%
	2-4	Count	15	12	27
		% within Sex	.1%	.3%	.2%
	5-12	Count	80	88	168
		% within Sex	.7%	2.2%	1.1%
	13-19	Count	43	91	134
		% within Sex	.4%	2.3%	.9%
	20-24	Count	270	363	633
		% within Sex	2.4%	9.1%	4.2%
	25-29	Count	631	564	1195
		% within Sex	5.6%	14.1%	7.8%
	30-39	Count	3688	1432	5120
		% within Sex	32.8%	35.9%	33.6%
	40-49	Count	4376	984	5360
		% within Sex	38.9%	24.7%	35.2%
	50-59	Count	1673	338	2011
		% within Sex	14.9%	8.5%	13.2%
	60-69	Count	374	88	462
		% within Sex	3.3%	2.2%	3.0%
	70+	Count	90	20	110
		% within Sex	.8%	.5%	.7%
	Total	Count	11244	3986	15230
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02  
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

**Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4770	733	5503
		% within Sex	42.4%	18.4%	36.1%
	African American	Count	4422	2760	7182
		% within Sex	39.3%	69.2%	47.2%
	Hispanic	Count	1968	472	2440
		% within Sex	17.5%	11.8%	16.0%
	Asian-Pacific Islander	Count	56	10	66
		% within Sex	.5%	.3%	.4%
	Am Indian-Alaskan	Count	12	2	14
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	16	9	25
		% within Sex	.1%	.2%	.2%
	Total		11244	3986	15230
			100.0%	100.0%	100.0%

a. Planning Area = East Texas

**Mode of Exposure \* Sex Crosstabulation<sup>a</sup>**

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	6426		6426
		% within Sex	57.2%		42.2%
	IDU	Count	1153	906	2059
		% within Sex	10.3%	22.7%	13.5%
	M-M & IDU	Count	1049		1049
		% within Sex	9.3%		6.9%
	Hemophiliac	Count	22	3	25
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	1063	2082	3145
		% within Sex	9.5%	52.2%	20.7%
	Transfusion	Count	21	20	41
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	1369	833	2202
		% within Sex	12.2%	20.9%	14.5%
	Ped Hemophiliac	Count	13	1	14
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	114	132	246
		% within Sex	1.0%	3.3%	1.6%
	Ped Transfusion	Count	5	1	6
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	9	8	17
		% within Sex	.1%	.2%	.1%
	Total		11244	3986	15230
			100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02  
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

**Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	42	5458	3	5503
		% within Adult-Ped	15.9%	36.5%	75.0%	36.1%
	African American	Count	171	7011		7182
		% within Adult-Ped	64.8%	46.9%		47.2%
	Hispanic	Count	45	2394	1	2440
		% within Adult-Ped	17.0%	16.0%	25.0%	16.0%
	Asian-Pacific Islander	Count		66		66
		% within Adult-Ped		.4%		.4%
	Am Indian-Alaskan	Count		14		14
		% within Adult-Ped		.1%		.1%
	Not Specified	Count	6	19		25
		% within Adult-Ped	2.3%	.1%		.2%
Total	Count	264	14962	4	15230	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

**Sex \* Adult-Ped Crosstabulation<sup>a</sup>**

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	131	11109	4	11244
		% within Adult-Ped	49.6%	74.2%	100.0%	73.8%
	Female	Count	133	3853		3986
		% within Adult-Ped	50.4%	25.8%		26.2%
Total		Count	264	14962	4	15230
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas